



Sale Product Questionnaire

Question	Response Yes/ No
1. Existing Sidewalks?	<input type="checkbox"/> <input type="checkbox"/>
If yes, how wide?	
2. Existing Ramps?	<input type="checkbox"/> <input type="checkbox"/>
If yes, please explain. Width? Length?	
3. Need ramp system quoted?	<input type="checkbox"/> <input type="checkbox"/>
If yes, please explain. How many? Height to finished floor?	
4. Approximate Length of Canopy Needed:	
5. Various widths and heights are available. Standard Product is 8' H x 8'6" W with ID columns spaced at 6'4" to accommodate a 6' existing sidewalk. Size Requested? -Width of Column Spacing? -Width of Canopy Cover? -Height of Canopy, 8' or 9'?	

6. Walkway system needed?	<input type="checkbox"/> <input type="checkbox"/>
Approximate Length?	
7. Local wind load requirement or Zip Code: (sample: 90, 100, 140)	
8. Local snow load requirement or Zip Code:	
9. Type of Surface Conditions?	
<input type="checkbox"/> Undisturbed Soil <input type="checkbox"/> Concrete <input type="checkbox"/> Asphalt <input type="checkbox"/> Any Major Elevation Changes in Existing Conditions sample: More than 1" per foot (ADA Criteria)	
10. Will any of the walkway need to be elevated to match existing floors higher than 18"?	<input type="checkbox"/> <input type="checkbox"/>
If yes, please explain.	
11. Aluminum or Urethane Coated Steel Product? * Coated steel product has multiple color choices * Aluminum product is 20% premium	
Notes:	
12. Trim Options:	
<input type="checkbox"/> No Trim <input type="checkbox"/> 6-1/2" Fascia Trim <input type="checkbox"/> Gutter System <input type="checkbox"/> Please quote as optional	



1150 Albright Road
 Sanford, Fl 32771
 (877) 321-5493
 Fax (407) 302-0941

Patent Pending

www.MobileWalkways.com



Rental Product Questionnaire

Question	Response Yes/ No
1. Existing Sidewalks?	<input type="checkbox"/> <input type="checkbox"/>
If yes, how wide?	
2. Existing Ramps?	<input type="checkbox"/> <input type="checkbox"/>
If yes, please explain. Width? Length?	
3. Need ramp system quoted?	<input type="checkbox"/> <input type="checkbox"/>
If yes, please explain. How many? Height to finished floor?	
4. Approximate Length of Canopy Needed:	
5. Various widths and heights are available. Standard Product is 8' H x 8'6" W with ID columns spaced at 6'4" to accommodate a 6' existing sidewalk. Size Requested? -Width of Column Spacing? -Width of Canopy Cover? -Height of Canopy, 8' or 9'?	

6. Walkway system needed?	<input type="checkbox"/> <input type="checkbox"/>
Approximate Length?	
7. Local wind load requirement or Zip Code: (sample: 90, 100, 140)	
8. Local snow load requirement or Zip Code:	
9. Type of Surface Conditions?	
<input type="checkbox"/> Undisturbed Soil <input type="checkbox"/> Concrete <input type="checkbox"/> Asphalt <input type="checkbox"/> Any Major Elevation Changes in Existing Conditions sample: More than 1" per foot (ADA Criteria)	
10. Will any of the walkway need to be elevated to match existing floors higher than 18"?	<input type="checkbox"/> <input type="checkbox"/>
If yes, please explain.	



1150 Albright Road
Sanford, Fl 32771
(877) 321-5493
Fax (407) 302-0941

Patent Pending

www.MobileWalkways.com